engineering fracture mechanics

List of Contents and Author Index
Volume 30, 1988

PERGAMON PRESS

OXFORD · NEW YORK
BEIJING · FRANKFURT · SÃO PAULO · SYDNEY · TOKYO · TORONTO

engineering fracture mechanics

An International Journal

EDITOR-IN-CHIEF

PROFESSOR HAROLD LIEBOWITZ

School of Engineering and Applied Science,
The George Washington University,
Washington, DC 20052, U.S.A.

EDITORIAL ADVISORY BOARD

PROFESSOR S. N. ATLURI, Georgia, U.S.A.
DR. ZDENEK BILEK, Brno, Czechoslovakia
PROFESSOR BRUNO A. BOLEY, New York, U.S.A.
DR. DAVID BROEK, Ohio, U.S.A.
PROFESSOR JANNE CARLSSON, Stockholm, Sweden
PROFESSOR G. P. CHEREPANOV, Moscow, U.S.S.R.
PROFESSOR H. T. CORTEN, Illinois, U.S.A.
DR. J. R. DAVIDSON, Virginia, U.S.A.
DR. THEODOR GAYMANN, Munich, Federal Republic of Germany
DR. GEORGE T. HAHN, Ohio, U.S.A.
PROFESSOR GEORGE HERRMANN, California, U.S.A.
PROFESSOR D. L. JONES, Washington, D.C., U.S.A.
PROFESSOR HIROSHI KIHARA, Tokyo, Japan
DR. J. M. KRAFFT, Virginia, U.S.A.
PROFESSOR FRANK A. McCLINTOCK, Massachusetts, U.S.A.
DR. HENRI P. van LEEUWEN, Amsterdam, The Netherlands
PROFESSOR A. J. McEVILY, Connecticut, U.S.A.
DR. BRIAN MULLINS, Hants., U.K.
PROFESSOR JAROSLAV NEMEC, Prague, Czechoslovakia
DR. NICHOLAS PERRONE, Maryland, U.S.A.
DR. Y. RAJAPAKSE, Virginia, U.S.A.
DR. J. SCHIJVE, Delft, The Netherlands
DR. WALTER SCHUTZ, Ottobrunn, Federal Republic of Germany
PROFESSOR GEORGE C. SIH, Pennsylvania, U.S.A.
PROFESSOR JAN-HAN YANG, Washington, D.C., U.S.A.
PROFESSOR TAKEO YOKOBORI, Sendai City, Japan
ROBERT E. ZINKHAM, Virginia, U.S.A.

Publishing, Subscription and Advertising Offices: Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, England; or Pergamon Press, Inc., Fairview Park, Elmsford, NY 10523, U.S.A.

Annual Subscription Rates (1988)
Annual Institutional subscription rate (1988) DM 2350.00. Two year institutional rate (1988/89) DM 4465.00. Personal subscription rate for those whose library subscribes at the regular rate (1988) DM 231.00. Prices are subject to change without notice.

Published 18 Times Per Annum (Three volumes 1988). Subscription enquiries from customers in North America should be sent to Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A. and for the remainder of the world to Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, England.

Back Issues of all previously published volumes are available direct from Pergamon Press. Back issues of Pergamon journals in microform can be obtained from UMI, 300 North Zeeb Road, Ann Arbor, Michigan 48106, U.S.A.

Copyright © 1988 Pergamon Press plc.

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organisations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means electronic, electrostatic, magnetic tape, mechanical photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying information for users in the U.S.A. The Item-Fee code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the United States Copyright Law is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

Permission for other use. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-Fee Code for this publication is: 0013-7944/88 $3.00 + .00

The cover picture was taken by Dr. Erwin Sommer in his studies at the Ernst Mach Institute in Freiburg, Germany, in work under the direction of Dr. F. Kerkhof. Dr. Sommer is Director of Fraunhofer-Institut Fuer Werkstoffmechanik, Rosastraße, 9, 7800 Freiburg, Germany.

List of Contents

NUMBER 1

M. Barbieri and **A. Corvi**	1	An extensometer for fracture mechanics testing of thin composite laminates
N. P. Andrianopoulos and **P. S. Theocaris**	5	LEFM brittle and ductile fractures as described by the T-criterion
Wen-Hwa Chen, **Kuen-Tsann Chen** and **Chun-Ron Chiang**	13	On the applicability of J_{R_0} integral for perpendicular interface crack
Sadia M. Makky	21	Fatigue fracture analysis of spherical shells under cyclic internal pressure
X. Huang and **J. W. Hancock**	25	The stress intensity factors of semi-elliptical cracks in a tubular welded T-joint under axial loading
Sami S. Tarazi and **James Mandel**	37	Zero thickness quarter point crack tip finite element for modeling an interface between two materials
M. B. Cortie and **G. G. Garrett**	49	On the correlation between the C and m in the Paris equation for fatigue crack propagation
T. A. Cruse and **S. T. Raveendra**	59	A comparison of long and short crack elastoplastic response using the boundary element method
P. S. Theocaris	77	The form and position of the core region: its influence on the fracture criteria
V. I. Fabrikant	87	Green's functions for a penny-shaped crack under normal loading
S. D. Smith, **J. J. Webster** and **T. H. Hyde**	105	Creep behaviour of a stationary, semicircular surface crack
		Announcement
	117	12th Canadian Congress of Applied Mechanics—CANCAM'89, Carleton University, Ottawa, Canada 28 May–2 June 1989
	I	Software Survey Section

NUMBER 2

Y. P. Srivastava and **S. B. L. Garg**	119	Study on modified J-integral range and its correlation with fatigue crack growth

W. Chang	135	Condition value K_Q of the plane-strain fracture toughness for cylindrical specimen with ring-shaped crack
P. S. Theocaris	145	In-plane stresses and strains along the flanks of an internal elastic crack
B. Jin-Bo and **C. Si-Yi**	161	Secondary cracking during surface crack growth under tensile fatigue loading
H. Tian-Hu and **W. Yong-Chang**	169	An exact elastoplastic solution to antiplane problem of double period uniform distribution crack field in anisotropic infinite plane
L. G. Luo and **J. D. Embury**	177	An investigation of crack blunting processes under plane strain conditions
T. S. Lee, S. H. Advani and **J. K. Lee**	191	Three-dimensional analysis of an arbitrary shaped pressurized crack traversing a bi-material interface
S. W. Ma and **X. S. Zhang**	211	A rectangular sheet with a central crack excited by a normal anti-plane shear wave
S. S. Chang	219	An edge crack in a rectangular orthotropic sheet under arbitrary shear stress longitudinal
R. Sethuraman and **S. K. Maiti**	227	Finite element based computation of strain energy release rate by modified crack closure integral
R. J. H. Wanhill	233	Low stress intensity fatigue crack growth in 2024-T3 and T351
	I	Software Survey Section

NUMBER 3

D. A. Tossell and **K. H. G. Ashbee**	261	Mixed mode I/III displacement fields studied by simultaneous optical interferometry and optical tunneling
W. N. Sharpe, Jr and **X. Su**	275	Closure measurements of naturally initiating small cracks
A. Marchand, J. Duffy, T. A. Christman and **S. Suresh**	295	An experimental study of the dynamic mechanical properties of an Al–SiC_w composite
Lai Yunlin	317	The views on two important problems relevant to the signs of principal stresses in fracture mechanics
Ö. Vardar	329	Effect of single overload in FCP
M. Itatani, Y. Miyoshi and **K. Ogura**	337	Hydrogen-assisted crack growth of austenitic stainless steel hydrogenated by high temperature cathodic charging

K. R. Narendrnath, H. Margolin, Y. H. Jung, P. S. Godavarti and K. L. Murty	349	A personal computer based system to evaluate J-integral by a single specimen unloading compliance method—Part II: results on A533B Class I steel and CORONA-5
R. Arone	361	Influence of random overloads on fatigue crack lifetime and reliability
H. Sakamoto, S. Takezono and T. Nakano	373	Effect of stress frequency on fatigue crack initiation in titanium
I. S. Raju, J. H. Crews, Jr and M. A. Aminpour	383	Convergence of strain energy release rate components for edge-delaminated composite laminates
T. Kobayashi, H. Yamamoto and K. Matsuo	397	Evaluation of dynamic fracture toughness on heavy wall ductile cast iron for container
		Technical Note
H. L. Stark and R. N. Ibrahim	409	Crack propagation at constant load and room temperature in an extruded aluminium
	I	Software Survey Section

NUMBER 4

Zhong-Xin Guan, De-Ming Wang and Nan-Sheng Yang	415	Deformation analysis of the local field in the vicinity of a stably growing crack-tip
S. W. Ma	435	A central crack in a rectangular sheet where its boundary is subjected to an arbitrary anti-plane load
Li Xiao-Wei and Liu Yi	445	A new method for measuring J_R curve of mild steel
A. Bhattacharya and B. Kishor	451	Rigid body rotation surrounding the crack
M. Yoda	461	Stress corrosion cracking under modes I, II and III loadings
W. J. Mills	469	Heat-to-heat variations in the fracture toughness of austenitic stainless steels
B. H. Kim and C. R. Joe	493	Comparison of the locus and the extrapolation methods that determine the critical J-integral in the presence of remote energy dissipation
M. G. Jenkins, A. S. Kobayashi, K. W. White and R. C. Bradt	505	Elevated temperature fracture resistance of a SiC whisker reinforced/polycrystalline Al_2O_3 matrix composite
Hao Tian-Hu	517	An exact elastic–perfect plastic solution of antiplane double period crack field

G. S. Giare, Alfons Herold, Vincent Edwards and R. R. Newcomb	531	Fracture toughness of unidirectional graphite fibre reinforced/epoxy composite in mode II (forward shear), using a thin tubular specimen
	I	Software Survey Section

NUMBER 5

C. L. Chow and J. Wang	547	Ductile fracture characterization with an anisotropic continuum damage theory
N. Tsangarakis, J. Nunes and J. M. Slepetz	565	Fracture toughness testing of metal matrix composites
M. W. Drew and K. R. L. Thompson	579	The effect of overload cycles on fatigue crack propagation in two structural steels
B. N. Sun, H. S. Hou and C. C. Hsiao	595	Analysis of crack-induced-craze in polymers
J. F. Morris	609	Fracture-resistant dilute-solution ultralloys for space-power systems
S. K. Putatunda	627	Influence of material strength level on fatigue crack closure
L. A. James and W. J. Mills	641	Review and synthesis of stress intensity factor solutions applicable to cracks in bolts
M. L. Bartlett and A. Saxena	655	The use of laser extensometer to study the behavior of short fatigue cracks
H. Ghonem and J. Kalousek	667	Study of surface crack initiation due to biaxial compression/shear loading
H. Ghonem	685	Constant-probability crack growth curves
K. P. Chong and M. D. Kuruppu	701	New specimens for mixed mode fracture investigations of geomaterials
K. Ravi-Chandar and M. Balzano	713	On the mechanics and mechanisms of crack growth in polymeric materials
S. K. Maiti and R. A. Smith	729	Closure on the discussion by G. C. Sih and D. Y. Tzou on "Criteria for brittle fracture in biaxial tension"
	733	Erratum
	I	Software Survey Section

NUMBER 6

M. A. Mahmoud	735	Quantitative prediction of growth patterns of surface fatigue cracks in tension plates
H. Fuyi	747	On the physical process in the deformation and fracture of ultra-strength steel
Z. Xiaopeng	753	The eigen equation of crack growth to metals
S. W. Ma	759	A central crack normal to the interface between two different materials in a rectangular sheet under an anti-plane shear stress
P. S. Theocaris	767	A comparison between the elastic strain energy and the plastic work at the crack tip
J. M. Huntley and **J. E. Field**	779	Measurement of crack tip displacement field using laser speckle photography
Z. L. Li, J. L. Yang and **H. Lee**	791	Temperature fields near a running crack tip
W. S. Kuo and **I. H. Yang**	801	On the global large deflection and postbuckling of symmetric angle-ply laminated plates
C. Shangchow	811	Stress intensity factors in a circular cylinder containing a pair of radial cracks
M. A. Richter and **J. W. Wagner**	819	Experimental evaluation of hinge phenomenon in notched three point bend bars using laser speckle metrology
J. R. Yeh	827	Fracture mechanics of delamination in ARALL laminates
R. Moskovic	839	Fracture toughness and crack growth resistance of pressure vessel plate and weld metal steels
K. Tanaka and **Y. Akiniwa**	863	Resistance-curve method for predicting propagation threshold of short fatigue cracks at notches
M. D. Rana and **R. J. Selines**	877	Structural integrity assurance of high-strength steel gas cylinders using fracture mechanics
	I	Software Survey Section